

# ACTA MATERIALIA

## CONTENTS OF VOLUME 49

### NUMBER 1

- |  |     |   |
|--|-----|---|
| A. Brokman, A. H. King and<br>A. J. Vilenkin   | 1   | The role of segregation in diffusion-induced grain boundary migration   |
| Y. H. Wen, Y. Wang and<br>L. Q. Chen   | 13  | Influence of an applied strain field on microstructural evolution during the $\alpha_2 \rightarrow O$ -phase transformation in Ti-Al-Nb system        |
| M. Murayama, Z. Horita and<br>K. Hono  | 21  | Microstructure of two-phase Al-1.7 at% Cu alloy deformed by equal-channel angular pressing  |
| H. Assadi, A. A. Shirzadi and<br>E. R. Wallach   | 31  | Transient liquid phase diffusion bonding under a temperature gradient: modelling of the interface morphology  |
| S. Celotto and T. J. Bastow  | 41  | Study of precipitation in aged binary Mg-Al and ternary Mg-Al-Zn alloys using $^{27}\text{Al}$ NMR spectroscopy                                       |
| H. Gupta, R. Weinkamer,<br>P. Fratzl and<br>J. L. Lebowitz                                     | 53  | Microscopic computer simulations of directional coarsening in face-centered cubic alloys  |
| O. R. Myhr, Ø. Grong and<br>S. J. Andersen   | 65  | Modelling of the age hardening behaviour of Al-Mg-Si alloys   |
| G.-J. Zhang, Y. Beppu and<br>T. Ohji   | 77  | Reaction mechanism and microstructure development of strain tolerant in situ SiC-BN composites  |
| H. Inui, T. Hashimoto,<br>K. Tanaka, I. Tanaka,<br>T. Mizoguchi, H. Adachi<br>and M. Yamaguchi | 83  | Defect and electronic structures in $\text{TiSi}_2$ thin films produced by co-sputtering. Part 1: defect analysis by transmission electron microscopy |
| H. H. Yu, M. Y. He and<br>J. W. Hutchinson   | 93  | Edge effects in thin film delamination  |
| J. Zhang and C. Laird  | 109 | Fracture behavior of monofilament-reinforced multicrystalline copper composites   |
| E. Culea and I. Bratu  | 123 | Infrared spectroscopic and magnetic behaviour of $x\text{Nd}_2\text{O}_3(1-x)\text{Na}_2\text{B}_4\text{O}_7$ glasses                                 |
| A. Zimmermann, W. C. Carter<br>and E. R. Fuller Jr   | 127 | Damage evolution during microcracking of brittle solids   |
| P. Jacques, Q. Furnémont,<br>T. Pardoen and<br>F. Delannay                                     | 139 | On the role of martensitic transformation on damage and cracking resistance in TRIP-assisted multiphase steels  |

E. Maire, A. Owen, J.-Y. Buffiere and P. J. Withers	153	A synchrotron X-ray study of a Ti/SiC <sub>f</sub> composite during in situ straining
A. Ludwig	165	Comparison of dendrites of a pure material with thermal alloy dendrites: an experimental method to estimate the T <sub>0</sub> -temperature
S. Raghavan, H. Wang, W. D. Porter, R. B. Dinwiddie and M. J. Mayo	169	Thermal properties of zirconia co-doped with trivalent and pentavalent oxides
R. Mathur, D. R. Sharma, S. R. Vadera and N. Kumar	181	Doping of emeraldine base with the monovalent bridging iron oxalate ions and their transformation into nanostructured conducting polymer composites

## NUMBER 2

### v Editorial

A. P. Roberts and E. J. Garboczi	189	Elastic moduli of model random three-dimensional closed-cell cellular solids
C. Schuh and D. C. Dunand	199	Non-isothermal transformation-mismatch plasticity: modeling and experiments on Ti-6Al-4V
M. Winning, G. Gottstein and L. S. Shvindlerman	211	Stress induced grain boundary motion
A. R. Akisanya, Y. Zhang, H. W. Chandler and R. J. Henderson	221	The deformation and densification of an array of metal-coated fibres
K. Owusu-Boahen and A. H. King	237	The early stages of plastic yielding in polycrystalline gold thin films
S. Divinski, M. Lohmann and Chr. Herzig	249	Ag grain boundary diffusion and segregation in Cu: measurements in the types <i>B</i> and <i>C</i> diffusion regimes
T. J. Ginter, P. K. Chaudhury and F. A. Mohamed	263	An investigation of Harper-Dorn creep at large strains
Z. Xia, W. A. Curtin and P. W. M. Peters	273	Multiscale modeling of failure in metal matrix composites
L. Heatherly and E. P. George	289	Grain-boundary segregation of impurities in iridium and effects on mechanical properties
R. Bohn, T. Klassen and R. Bormann	299	Room temperature mechanical behavior of silicon-doped TiAl alloys with grain-sizes in the nano- and submicron-range
J. Y. Uan, L. H. Chen and T. S. Lui	313	On the extrusion microstructural evolution of Al-Al <sub>3</sub> Ni in situ composite

- |  |     |   |
|--|-----|---|
| C. D. Marioara,<br>S. J. Andersen, J. Jansen<br>and H. W. Zandbergen | 321 | Atomic model for GP-zones in a 6082 Al-Mg-Si system   |
| P. Gilormini,<br>M. V. Nebozhyn and<br>P. Ponte Castañeda            | 329 | Accurate estimates for the creep behavior of hexagonal polycrystals   |
| S. Heino and B. Karlsson   | 339 | Cyclic deformation and fatigue behaviour of 7Mo-0.5N superaustenitic stainless steel—stress-strain relations and fatigue life                       |
| S. Heino and B. Karlsson   | 353 | Cyclic deformation and fatigue behaviour of 7Mo-0.5N superaustenitic stainless steel—slip characteristics and development of dislocation structures |
| Y. H. Zhao, H. W. Sheng<br>and K. Lu                                 | 365 | Microstructure evolution and thermal properties in nanocrystalline Fe during mechanical attrition   |

### NUMBER 3

#### v Editorial

- |   |     |  |
|---|-----|--|
| D. Zang and R. B. McLellan  | 377 | The transient diffusion in semi-infinite plates of hydrogen in metals containing trapping sites                                |
| X. Sauvage, L. Renaud,<br>B. Deconihout, D. Blavette,<br>D. H. Ping and K. Hono | 389 | Solid state amorphization in cold drawn Cu/Nb wires  |
| K. W. Liu and F. Mücklich   | 395 | Thermal stability of nano-RuAl produced by mechanical alloying   |
| A. B. Pandey,<br>B. S. Majumdar and<br>D. B. Miracle                            | 405 | Laminated particulate-reinforced aluminum composites with improved toughness   |
| J. -G. Li, T. Ikegami,<br>J. -H. Lee and T. Mori                                | 419 | Characterization and sintering of nanocrystalline CeO <sub>2</sub> powders synthesized by a mimic alkoxide method              |
| A. Rohatgi, K. S. Vecchio and<br>G. T. Gray, III                                | 427 | A metallographic and quantitative analysis of the influence of stacking fault energy on shock-hardening in Cu and Cu-Al alloys |
| R. P. Liu, T. Volkmann and<br>D. M. Herlach                                     | 439 | Undercooling and solidification of Si by electromagnetic levitation  |
| M. Humbert, N. Gey,<br>B. Gardiola and C. Esling                                | 445 | Restitution of high temperature parent textures of BCC and HCP polycrystals by a non-linear positivity method                  |
| F. Wu, P. Bellon,<br>A. J. Melmed and<br>T. A. Lusby                            | 453 | Forced mixing and nanoscale decomposition in ball-milled Cu-Ag characterized by APFIM  |

S. Y. Hu and L. Q. Chen	463	Solute segregation and coherent nucleation and growth near a dislocation—a phase-field model integrating defect and phase microstructures
K. Kitazono, R. Hirasaka, E. Sato, K. Kuribayashi and T. Motegi	473	Internal stress superplasticity in anisotropic polycrystalline materials
H. Schmidt, A. Schminke, M. Schmiedgen and B. Baretzky	487	Compound formation and abrasion resistance of ion-implanted Ti6Al4V
M. Kouzeli, L. Weber, C. San Marchi and A. Mortensen	497	Quantification of microdamage phenomena during tensile straining of high volume fraction particle reinforced aluminium
H. Wu, S. G. Roberts and B. Derby	507	Residual stress and subsurface damage in machined alumina and alumina/silicon carbide nanocomposite ceramics
R. A. Dorey, J. A. Yeomans, P. A. Smith and J. Pan	519	<i>In situ</i> optical dilatometric measurements of the initial stages of sintering of alumina
A. Sémoroz, Y. Durandet and M. Rappaz	529	EBSD characterization of dendrite growth directions, texture and misorientations in hot-dipped Al–Zn–Si coatings
B. -N. Kim	543	Modeling grain growth behavior inhibited by dispersed particles
G. I. Rusu, I. Căplănuș, L. Leontie, A. Airinei, E. Butuc, D. Mardare and I. I. Rusu	553	Studies on the electronic transport properties of some aromatic polysulfones in thin films

#### NUMBER 4

##### v Editorial

Y. T. Pei and J. Th. M. De Hosson	561	Five-fold branched Si particles in laser clad AlSi functionally graded materials
I. Loginova, G. Amberg and J. Ågren	573	Phase-field simulations of non-isothermal binary alloy solidification
S. Krumdieck	583	Kinetic model of low pressure film deposition from single precursor vapor in a well-mixed, cold-wall reactor
M. I. Mendelev and D. J. Srolovitz	589	A regular solution model for impurity drag on a migrating grain boundary
J. D. Robson and P. B. Prangnell	599	Dispersoid precipitation and process modelling in zirconium containing commercial aluminium alloys

J. -H. Kim, S. -G. Kim and A. Inoue	615	<i>In situ</i> observation of solidification behavior in undercooled Pd-Cu-Ni-P alloy by using a confocal scanning laser microscope
J. Geiger, A. Roósz and P. Barkóczy	623	Simulation of grain coarsening in two dimensions by Cellular-Automaton
J. -K. Park and D. -Y. Kim	631	Discontinuous dissolution of a frozen matrix liquid phase in Ba(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ceramics
E. G. Gontier-Moya, J. Bernardini and F. Moya	637	Silver and platinum diffusion in alumina single crystals
A. J. Sánchez-Herencia, A. J. Millán, M. I. Nieto and R. Moreno	645	Aqueous colloidal processing of nickel powder
D. Pierre, F. Bosselet, M. Peronnet, J. C. Viala and J. Bouix	653	Chemical reactivity of iron base substrates with liquid Mg-Zr alloys
A. V. Korznikov, G. Tram, O. Dimitrov, G. F. Korznikova, S. R. Idrisova and Z. Pakiela	663	The mechanism of nanocrystalline structure formation in Ni <sub>3</sub> Al during severe plastic deformation
Y. Estrin, G. Gottstein, E. Rabkin and L. S. Shvindlerman	673	Grain growth in thin metallic films
D. Dye, O. Hunziker and R. C. Reed	683	Numerical analysis of the weldability of superalloys
V. A. Snyder, J. Alkemper and P. W. Voorhees	699	Transient Ostwald ripening and the disagreement between steady-state coarsening theory and experiment
J. Takahashi and H. Suito	711	Random dispersion model of two-dimensional size distribution of second-phase particles
W. Mao, X. Zhang, C. Ji, H. Chang, B. Cheng, Y. Yang, H. Du, Y. Xue, B. Zhang, L. Wang and F. Li	721	Structural and magnetic properties of PrFe <sub>12-x</sub> V <sub>x</sub> and their nitrides
J. Jose and M. A. Khadar	729	Role of grain boundaries on the electrical properties of ZnO-Ag nanocomposites: an impedance spectroscopic study
H. Gleiter, J. Weissmüller, O. Wollersheim and R. Würschum	737	Nanocrystalline materials: a way to solids with tunable electronic structures and properties?
	747	Erratum
	749	Corrigendum

## v Editorial

- |  |     |   |
|--|-----|---|
| L. T. Zhang, K. Ito,<br>V. K. Vasudevan and<br>M. Yamaguchi            | 751 | Hydrogen absorption and desorption in a B2 single-phase Ti-22Al-27Nb alloy before and after deformation   |
| D. V. Alexandrov   | 759 | Solidification with a quasiequilibrium two-phase zone   |
| B. J. Kooi and<br>J. Th. M. De Hosson                                  | 765 | In-situ TEM analysis of the reduction of nanometre-sized $Mn_3O_4$ precipitates in a metal matrix   |
| Y. Watanabe, H. Eryu and<br>K. Matsuura                                | 775 | Evaluation of three-dimensional orientation of $Al_3Ti$ platelet in Al-based functionally graded materials fabricated by a centrifugal casting technique        |
| B. Dutta, E. J. Palmiere and<br>C. M. Sellars                          | 785 | Modelling the kinetics of strain induced precipitation in Nb microalloyed steels  |
| J. R. Alvarez and P. Rez   | 795 | Calculation of electronic properties of boundaries in $Ni_3Al$  |
| F. Tietz, I. Arul Raj,<br>W. Jungen and D. Stöver                      | 803 | High-temperature superconductor materials for contact layers in solid oxide fuel cells: I. Sintering behavior and physical properties at operating temperatures |
| A. Boulle, Z. Oudjedi,<br>R. Guinebrière,<br>B. Soulestin and A. Dager | 811 | Ceramic nanocomposites obtained by sol-gel coating of submicron powders   |
| P. Liu, L. Cheng and<br>Y. W. Zhang                                    | 817 | Measuring interface parameters and toughness—A computational study  |
| A. Hütten, G. Reiss,<br>W. Saikaly and G. Thomas                       | 827 | Origin of giant magnetoresistance in conventional $AlNiCo_5$ magnets  |
| T. D. Shen and<br>R. B. Schwarz  | 837 | Bulk ferromagnetic glasses in the Fe-Ni-P-B system  |
| D. M. Elzey and<br>H. N. G. Wadley                                     | 849 | The limits of solid state foaming   |
| M. S. A. Karunaratne,<br>P. Carter and R. C. Reed                      | 861 | On the diffusion of aluminium and titanium in the Ni-rich Ni-Al-Ti system between 900 and 1200°C  |
| R. K. N. D. Rajapakse and<br>X. Zeng                                   | 877 | Toughening of conducting cracks due to domain switching   |
| B. -N. Kim, K. Hiraga,<br>K. Morita and Y. Sakka                       | 887 | Superplasticity in alumina enhanced by co-dispersion of 10% zirconia and 10% spinel particles   |
| J. Alkemper and<br>P. W. Voorhees                                      | 897 | Three-dimensional characterization of dendritic microstructures   |
| M. Göken, M. Kempf and<br>W. D. Nix                                    | 903 | Hardness and modulus of the lamellar microstructure in PST-TiAl studied by nanoindentations and AFM   |

- |  |     |   |
|--|-----|---|
| Y. Nagai, M. Murayama,<br>Z. Tang, T. Nonaka,<br>K. Hono and M. Hasegawa | 913 | Role of vacancy-solute complex in the initial rapid age hardening in an Al-Cu-Mg alloy    |
| P. Wang, H. F. Zhang,<br>B. Z. Ding and Z. Q. Hu                         | 921 | Structural and hydriding properties of composite Mg-ZrFe <sub>1.4</sub> Cr <sub>0.6</sub> |
| S. Semboshi, N. Masahashi<br>and S. Hanada                               | 927 | Degradation of hydrogen absorbing capacity in cyclically hydrogenated TiMn <sub>2</sub>   |

#### NUMBER 6

- |   |      |  |
|---|------|--|
| J.-F. Li, W. Pan, F. Sato and<br>R. Watanabe  | 937  | Mechanical properties of polycrystalline Ti <sub>3</sub> SiC <sub>2</sub> at ambient and elevated temperatures   |
| Q. Chen and B. Sundman  | 947  | Calculation of Debye temperature for crystalline structures—a case study on Ti, Zr, and Hf   |
| K. Ito, L. T. Zhang,<br>V. K. Vasudevan and<br>M. Yamaguchi   | 963  | Multiphase and microstructure effects on the hydrogen absorption/desorption behavior of a Ti-22Al-27Nb alloy   |
| D. D. Hass, A. J. Slifka and<br>H. N. G. Wadley   | 973  | Low thermal conductivity vapor deposited zirconia microstructures  |
| M. Beck, M. Ellner and<br>E. J. Mittemeijer   | 985  | The formation of interstitial solid solutions based on solvents showing the FCC structure: elastic versus chemical interaction   |
| R. J. Moon, K. J. Bowman,<br>K. P. Trumble and J. Rödel   | 995  | Fracture resistance curve behavior of multilayered alumina-zirconia composites produced by centrifugation  |
| D. J. Srolovitz and<br>S. H. Davis  | 1005 | Do stresses modify wetting angles?   |
| V. Paidar, D. Imamura,<br>H. Inui and M. Yamaguchi  | 1009 | Plastic deformation of bicrystals composed of polysynthetically twinned TiAl crystals  |
| N. I. Tymiak, D. E. Kramer,<br>D. F. Bahr, T. J. Wyrobek<br>and W. W. Gerberich                                     | 1021 | Plastic strain and strain gradients at very small indentation depths   |
| V. S. Deshpande,<br>M. F. Ashby and<br>N. A. Fleck  | 1035 | Foam topology bending versus stretching dominated architectures  |
| J. Greiser, P. Müllner and<br>E. Arzt   | 1041 | Abnormal growth of “giant” grains in silver thin films   |
| M. Gäumann, C. Bezençon,<br>P. Canalis and W. Kurz  | 1051 | Single-crystal laser deposition of superalloys: processing-microstructure maps   |
| A. Arvanitis, S. Diplas,<br>P. Tsakirooulos,<br>J. F. Watts, M. J. Whiting,<br>S. A. Morton and<br>J. A. D. Matthew | 1063 | An experimental study of bonding and crystal structure modifications in MoSi <sub>2</sub> and MoSi <sub>2</sub> +xAl (x=10 to 40 at% Al) via Auger parameter shifts and charge transfer calculations |

- |  |      |  |
|--|------|--|
| R. Yang, D. L. Zhao,<br>Y. M. Wang, S. Q. Wang,<br>H. Q. Ye and C. Y. Wang | 1079 | Effects of Cr, Mn on the cohesion of the $\gamma$ -iron grain boundary                                   |
| S. Zhang, P. G. McCormick<br>and Y. Estrin                                 | 1087 | The morphology of Portevin–Le Chatelier bands: finite element simulation for Al–Mg–Si                    |
| M. J. Watson, M. P. Harmer,<br>H. M. Chan and<br>H. S. Caram               | 1095 | Ignition phenomena and controlled firing of reaction-bonded aluminum oxide                               |
| S. Zaefferer, T. Baudin and<br>R. Penelle                                  | 1105 | A study on the formation mechanisms of the cube recrystallization texture in cold rolled Fe–36%Ni alloys |

#### NUMBER 7

- |   |      |   |
|---|------|---|
| D. Chatain, E. Rabkin,<br>J. Derenne and<br>J. Bernardini                 | 1123 | Role of the solid/liquid interface faceting in rapid penetration of a liquid phase along grain boundaries   |
| N. Sakaguchi, S. Watanabe<br>and H. Takahashi                             | 1129 | Heterogeneous dislocation formation and solute redistribution near grain boundaries in austenitic stainless steel under electron irradiation                                    |
| H. Sieber, J. S. Park,<br>J. Weissmüller and<br>J. H. Perepezko           | 1139 | Structural evolution and phase formation in cold-rolled aluminum–nickel multilayers   |
| D. F. Susan and A. R. Marder  | 1153 | Ni–Al composite coatings: diffusion analysis and coating lifetime estimation  |
| A. Artemev, Y. Jin and<br>A. G. Khachaturyan                              | 1165 | Three-dimensional phase field model of proper martensitic transformation  |
| G. Schoeck  | 1179 | The core structure of dissociated dislocations in NiAl  |
| C. Kaya, F. Kaya,<br>A. R. Boccaccini and<br>K. K. Chawla                 | 1189 | Fabrication and characterisation of Ni-coated carbon fibre-reinforced alumina ceramic matrix composites using electrophoretic deposition  |
| A. Galiyev, R. Kaibyshev<br>and G. Gottstein                              | 1199 | Correlation of plastic deformation and dynamic recrystallization in magnesium alloy ZK60  |
| I. C. Barlow, H. Jones and<br>W. M. Rainforth                             | 1209 | Evolution of microstructure and hardening, and the role of $\text{Al}_3\text{Ti}$ coarsening, during extended thermal treatment in mechanically alloyed Al–Ti–O based materials |
| F. Czerwinski,<br>A. Zielinska-Lipiec,<br>P. J. Pinet and<br>J. Overbeeke | 1225 | Correlating the microstructure and tensile properties of a thixomolded AZ91D magnesium alloy  |
| O. Engler   | 1237 | Recrystallisation textures in copper-manganese alloys   |

- |  |      |   |
|--|------|---|
| J. Svoboda, F. D. Fischer,<br>P. Fratzl, E. Gamsjäger<br>and N. K. Simha | 1249 | Kinetics of interfaces during diffusional transformations   |
| I. Farup, J. -M. Drezet and<br>M. Rappaz                                 | 1261 | In situ observation of hot tearing formation in<br>succinonitrile-acetone                             |
| D. Dye, H. J. Stone and<br>R. C. Reed                                    | 1271 | A two phase elastic-plastic self-consistent model for the<br>accumulation of microstrains in Waspaloy |
| D. H. Shin, I. Kim, J. Kim<br>and K. -T. Park                            | 1285 | Grain refinement mechanism during equal-channel angular<br>pressing of a low-carbon steel             |
| H. Moon, B. -K. Kim and<br>S. -J. L. Kang                                | 1293 | Growth mechanism of round-edged NbC grains in Co<br>liquid  |
| M. Hammer, A. Endriss,<br>D. C. Lupascu and<br>M. J. Hoffmann            | 1301 | Correlation between microstructure, strain behavior, and<br>acoustic emission of soft PZT ceramics    |

#### NUMBER 8

- |  |      |   |
|--|------|---|
| L. Höglund and J. Ågren  | 1311 | Analysis of the Kirkendall effect, marker migration and<br>pore formation   |
| X. Zhang, H. Wang,<br>J. Narayan and C. C. Koch  | 1319 | Evidence for the formation mechanism of nanoscale<br>microstructures in cryomilled Zn powder                          |
| K. B. Hyde, A. F. Norman<br>and P. B. Prangnell  | 1327 | The effect of cooling rate on the morphology of primary<br>Al <sub>3</sub> Sc intermetallic particles in Al-Sc alloys |
| J. P. Lokker, A. J. Böttger,<br>W. G. Sloof,<br>F. D. Tichelaar,<br>G. C. A. M. Janssen and<br>S. Radelaar | 1339 | Phase transformations in Al-Cu thin films: precipitation<br>and copper redistribution                                 |
| F. Schurack, J. Eckert and<br>L. Schultz   | 1351 | Synthesis and mechanical properties of cast quasicrystal-<br>reinforced Al-alloys                                     |
| Y.-J. Chen and S. H. Davis   | 1363 | Instability of triple junctions in lamellar eutectic growth   |
| B.-K. Lee and S.-J. L. Kang  | 1373 | Second-phase assisted formation of {111} twins in barium<br>titanate  |
| P. D. Lee and J. D. Hunt   | 1383 | Hydrogen porosity in directionally solidified aluminium-<br>copper alloys: a mathematical model                       |
| St. Frank, S. V. Divinski,<br>U. Södervall and<br>Chr. Herzig  | 1399 | Ni tracer diffusion in the B2-compound NiAl: influence of<br>temperature and composition                              |

- |   |      |  |
|---|------|--|
| O. Gillia, C. Josserond and<br>D. Bouvard   | 1413 | Viscosity of WC-Co compacts during sintering   |
| B. de Boer, J. Eickemeyer,<br>N. Reger,<br>L. Fernandez, G.-R.,<br>J. Richter, B. Holzapfel,<br>L. Schultz, W. Prusseit and<br>P. Berberich | 1421 | Cube textured nickel alloy tapes as substrates for<br>YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-δ</sub> -coated conductors |
| E. Rabkin, L. Klinger,<br>T. Izyumova, A. Berner and<br>V. Semenov  | 1429 | Grain boundary grooving with simultaneous grain<br>boundary sliding in Ni-rich NiAl  |
| W. Grange,<br>C. Ulhaq-Bouillet,<br>M. Maret and J. Thibault  | 1439 | Chemical long-range ordering in a CoPt alloy film grown<br>by molecular beam epitaxy                                       |
| C. Huang, E. B. Hawbolt,<br>X. Chen,<br>T. R. Meadowcroft and<br>D. K. Matlock  | 1445 | Flow stress modeling and warm rolling simulation behavior<br>of two Ti-Nb interstitial-free steels in the ferrite region   |
| P. Bate   | 1453 | The effect of deformation on grain growth in Zener pinned<br>systems   |
| G. Wen, S. B. Li,<br>B. S. Zhang and Z. X. Guo  | 1463 | Reaction synthesis of TiB <sub>2</sub> -TiC composites with enhanced<br>toughness  |
| G. Jiang, G. S. Daehn,<br>J. J. Lannutti, Y. Fu and<br>R. H. Wagoner  | 1471 | Effects of lubrication and aspect ratio on the consolidation<br>of metal matrix composites under cyclic pressure           |
| W. Pantleon and N. Hansen   | 1479 | Dislocation boundaries—the distribution function of<br>disorientation angles   |
|   | 1495 | Erratum  |

## NUMBER 9

### v Announcement

- |   |      |   |
|---|------|---|
| J. Y. Huang, Y. T. Zhu,<br>H. Jiang and T. C. Lowe    | 1497 | Microstructures and dislocation configurations in<br>nanostructured Cu processed by repetitive corrugation and<br>straightening   |
| F. Szeucs, C. P. Kim and<br>W. L. Johnson             | 1507 | Mechanical properties of Zr <sub>56.2</sub> Ti <sub>13.8</sub> Nb <sub>5.0</sub> Cu <sub>6.9</sub> Ni <sub>5.6</sub> Be <sub>12.5</sub><br>ductile phase reinforced bulk metallic glass composite |
| E. P. Busso, J. Lin,<br>S. Sakurai and<br>M. Nakayama | 1515 | A mechanistic study of oxidation-induced degradation in a<br>plasma-sprayed thermal barrier coating system. Part I:<br>model formulation  |
| E. P. Busso, J. Lin and<br>S. Sakurai                 | 1529 | A mechanistic study of oxidation-induced degradation in a<br>plasma-sprayed thermal barrier coating system. Part II: life<br>prediction model   |

- |   |      |  |
|---|------|--|
| K. Han, J. P. Hirth and<br>J. D. Embury   | 1537 | Modeling the formation of twins and stacking faults in the Ag-Cu system  |
| H. Rösner, P. Schloßmacher,<br>A. V. Shelyakov and<br>A. M. Glezer                                    | 1541 | The influence of coherent TiCu plate-like precipitates on the thermoelastic martensitic transformation in melt-spun Ti <sub>50</sub> Ni <sub>25</sub> Cu <sub>25</sub> shape memory alloys   |
| C. M. Allen,<br>K. A. Q. O'Reilly and<br>B. Cantor  | 1549 | Effect of semisolid microstructure on solidified phase content in 1xxx Al alloys   |
| J. A. Thompson and<br>T. W. Clyne   | 1565 | The effect of heat treatment on the stiffness of zirconia top coats in plasma-sprayed TBCs   |
| J. M. Ambrico, M. R. Begley<br>and E. H. Jordan   | 1577 | Stress and shape evolution of irregularities in oxide films on elastic-plastic substrates due to thermal cycling and film growth   |
| V. Y. Gertsman and<br>S. M. Bruemmer  | 1589 | Study of grain boundary character along intergranular stress corrosion crack paths in austenitic alloys  |
| T. C. Wang, Y. W. Zhang and<br>S. J. Chua   | 1599 | Dislocation evolution in epitaxial multilayers and graded composition buffers  |
| B. Peeters, M. Seefeldt,<br>C. Teodosiu,<br>S. R. Kalidindi,<br>P. Van Houtte and<br>E. Aernoudt      | 1607 | Work-hardening/softening behaviour of B.C.C. polycrystals during changing strain paths: I. An integrated model based on substructure and texture evolution, and its prediction of the stress-strain behaviour of an IF steel during two-stage strain paths |
| B. Peeters, B. Bacroix,<br>C. Teodosiu, P. Van Houtte<br>and E. Aernoudt                              | 1621 | Work-hardening/softening behaviour of B.C.C. polycrystals during changing strain paths: II. TEM observations of dislocation sheets in an IF steel during two-stage strain paths and their representation in terms of dislocation densities                 |
| Z. H. Xia and W. A. Curtin  | 1633 | Life prediction of titanium MMCs under low-cycle fatigue   |
| Y. Song, Z. X. Guo, R. Yang<br>and D. Li  | 1647 | First principles study of site substitution of ternary elements in NiAl  |
| H. de Monestrol,<br>L. Schmirgeld-Mignot,<br>P. J. A. Molinàs-Mata,<br>S. Poissonnet and<br>G. Martin | 1655 | Kinetics and mechanisms of reactive solid state dewetting in the system Ag-Ni-O  |
| A. J. Allen, J. Ilavsky,<br>G. G. Long, J. S. Wallace,<br>C. C. Berndt and<br>H. Herman               | 1661 | Microstructural characterization of yttria-stabilized zirconia plasma-sprayed deposits using multiple small-angle neutron scattering   |
| A. E. Markaki and<br>T. W. Clyne  | 1677 | The effect of cell wall microstructure on the deformation and fracture of aluminium-based foams  |

# NUMBER 10

- |  |      |  |
|--|------|--|
| R. Botten, X. Wu, D. Hu and<br>M. H. Loretto   | 1687 | The significance of acoustic emission during stressing of TiAl-based alloys. Part I: detection of cracking during loading up in tension                    |
| X. Wu, D. Hu, R. Botten and<br>M. H. Loretto   | 1693 | The significance of acoustic emission during stressing of TiAl-based alloys. Part 2: influence of cracks induced by pre-stressing on the fatigue life      |
| O. Engler, X. W. Kong and<br>K. Lücke  | 1701 | Recrystallisation textures of particle-containing Al-Cu and Al-Mn single crystals  |
| R. S. Sundar, K. Kitazono,<br>E. Sato and K. Kuribayashi   | 1717 | Internal stress superplasticity in the NiAl-Mo eutectic alloy  |
| T. J. Balk, M. Kumar and<br>K. J. Hemker   | 1725 | Influence of Fe substitutions on the deformation behavior and fault energies of Ni <sub>3</sub> Ge-Fe <sub>3</sub> Ge L1 <sub>2</sub> intermetallic alloys |
| A. Otsuki  | 1737 | Energies of (001) twist grain boundaries in silicon  |
| M. Backhaus-Ricoult  | 1747 | Wetting anisotropy and oxygen activity dependency for oxides by liquid transition metals studied through shape changes of liquid Cu inclusions within MgO  |
| I. Samajdar, P. Ratchev,<br>B. Verlinden and<br>E. Aernoudt  | 1759 | Hot working of AA1050—relating the microstructural and textural developments   |
| P. H. Leo and W. C. Johnson  | 1771 | Spinodal decomposition and coarsening of stressed thin films on compliant substrates   |
| S. Sarkar and C. Bansal  | 1789 | Kinetic paths for B2 order in nanocrystalline FeCo-Mo: a Mössbauer spectroscopic study   |
| A. M. Karlsson and<br>A. G. Evans  | 1793 | A numerical model for the cyclic instability of thermally grown oxides in thermal barrier systems  |
| C. S. Pande and<br>A. K. Rajagopal   | 1805 | Uniqueness and self similarity of size distributions in grain growth and coarsening  |
| G. Shi, H. V. Atkinson,<br>C. M. Sellars,<br>C. W. Anderson and<br>J. R. Yates   | 1813 | Computer simulation of the estimation of the maximum inclusion size in clean steels by the generalized Pareto distribution method                          |
| A. I. Salimon,<br>A. M. Korsunsky,<br>E. V. Shelekhov,<br>T. A. Sviridova,<br>S. D. Kaloshkin,<br>V. S. Tcherdyntsev and<br>Yu. V. Baldokhin | 1821 | Crystallochemical aspects of solid state reactions in mechanically alloyed Al-Cu-Fe quasicrystalline powders   |
| T. Hoc, C. Rey and<br>J. L. Raphanel   | 1835 | Experimental and numerical analysis of localization during sequential test for an IF-Ti steel  |

- Y. U. Wang, Y. M. Jin,  
A. M. Cuitiño and  
A. G. Khachaturyan 1847 Nanoscale phase field microelasticity theory of  
dislocations: model and 3D simulations
- V. S. Deshpande and  
N. A. Fleck 1859 Multi-axial yield behaviour of polymer foams
- M. A. Easton and  
D. H. StJohn 1867 A model of grain refinement incorporating alloy  
constitution and potency of heterogeneous nucleant  
particles

# NUMBER 11

- S. Y. Hu and L. Q. Chen 1879 A phase-field model for evolving microstructures with  
strong elastic inhomogeneity
- S. Kobayashi, K. Nakai and  
Y. Ohmori 1891 Isothermal decomposition of  $\delta$ -ferrite in a  
25Cr—7Ni—0.14N stainless steel
- C. Li, S. Ranganathan and  
A. Inoue 1903 Initial crystallization processes of Hf—Cu—M (M=Pd, Pt or  
Ag) amorphous alloys
- E. A. Marquis and  
D. N. Seidman 1909 Nanoscale structural evolution of  $\text{Al}_3\text{Sc}$  precipitates in  
Al(Sc) alloys
- T. Matsunaga, S. Kajiwarra,  
K. Ogawa, T. Kikuchi and  
S. Miyazaki 1921 Internal structures and shape memory properties of sputter-  
deposited thin films of a Ti—Ni—Cu alloy
- T. Zakroczymski, J. Flis,  
N. Lukomski and  
J. Mankowski 1929 Entry, transport and absorption of hydrogen in low-  
temperature plasma nitrided austenitic stainless steel
- Z.-Y. Deng, T. Fukasawa,  
M. Ando, G.-J. Zhang and  
T. Ohji 1939 Bulk alumina support with high tolerant strain and its  
reinforcing mechanisms
- K. Nagashio and  
K. Kuribayashi 1947 Rapid solidification of  $\text{Y}_3\text{Al}_5\text{O}_{12}$  garnet from hypercooled  
melt
- M. A. Aramendía, V. Borau,  
C. Jiménez, J. M. Marinas,  
F. J. Romero and  
F. J. Urbano 1957 Effect of platinum salts on mesoporous silica materials  
synthesized via a non-ionic surfactant templating route
- N. Ravishankar and  
C. B. Carter 1963 Migration of alumina grain boundaries containing a thin  
glass film
- T. Pretorius and E. Nembach 1971 Strengthening of an  $\text{L1}_2$ -ordered  $\gamma'$ -intermetallic by  
disordered  $\gamma$ -particles. Part I: computer simulations
- T. Pretorius, D. Baither and  
E. Nembach 1981 Strengthening of an  $\text{L1}_2$ -ordered  $\gamma'$ -intermetallic by dis-  
ordered  $\gamma$ -particles. Part II: measurements of the CRSS and  
TEM observations of dislocation processes in  $\text{Ni}_{69}\text{Co}_9\text{Al}_{18}\text{Ti}_4$

- |  |      |   |
|--|------|---|
| I. Arul Raj, F. Tietz,<br>A. Gupta, W. Jungen and<br>D. Stöver           | 1987 | High-temperature superconductor materials for contact layers in solid oxide fuel cells: II. Chemical properties at operating temperatures                                   |
| J. Matejcek and S. Sampath   | 1993 | Intrinsic residual stresses in single splats produced by thermal spray processes  |
| Z. Shan and A. M. Gokhale  | 2001 | Micromechanics of complex three-dimensional microstructures   |
| G. S. Daehn  | 2017 | Modeling thermally activated deformation with a variety of obstacles, and its application to creep transients   |
| H. Watanabe, T. Mukai,<br>M. Mabuchi and K. Higashi                      | 2027 | Superplastic deformation mechanism in powder metallurgy magnesium alloys and composites   |
| C. C. Fulton and H. Gao  | 2039 | Microstructural modeling of ferroelectric fracture  |
| L. Babout, E. Maire,<br>J. Y. Buffière and<br>R. Fougères                | 2055 | Characterization by X-ray computed tomography of decohesion, porosity growth and coalescence in model metal matrix composites   |
| J. E. Flinn, D. P. Field,<br>G. E. Korth, T. M. Lillo<br>and J. Macheret | 2065 | The flow stress behavior of OFHC polycrystalline copper   |
| E. Suvaci, K.-S. Oh and<br>G. L. Messing                                 | 2075 | Kinetics of template growth in alumina during the process of templated grain growth (TGG)   |
| R. A. Vandermeer and<br>D. Juul Jensen                                   | 2083 | Microstructural path and temperature dependence of recrystallization in commercial aluminum   |
| F. Boakye, K. G. Adanu and<br>R. K. Nkum                                 | 2095 | The anomalous low temperature resistivity and critical scattering of conduction electrons around the Néel point of $\alpha$ -Mn films containing dilute concentration of Ni |
| S. K. Arora, T. R. Trivedi,<br>A. T. Oza and V. A. Patel                 | 2103 | IR spectroscopy of barium hydrogen phosphate  |
| L. P. Ferroni, G. Pezzotti,<br>T. Isshiki and H.-J. Kleebe               | 2109 | Determination of amorphous interfacial phases in $\text{Al}_2\text{O}_3/\text{SiC}$ nanocomposites by computer-aided high-resolution electron microscopy                    |

#### NUMBER 12

- |   |      |  |
|---|------|--|
| J.-H. Shim, Y.-J. Oh,<br>J.-Y. Suh, Y. W. Cho,<br>J.-D. Shim, J.-S. Byun and<br>D. N. Lee | 2115 | Ferrite nucleation potency of non-metallic inclusions in medium carbon steels  |
| M. Hättestrand and<br>H.-O. Andrén  | 2123 | Influence of strain on precipitation reactions during creep of an advanced 9% chromium steel                             |
| M. Seefeldt, L. Delannay,<br>B. Peeters, E. Aernoudt and<br>P. Van Houtte                 | 2129 | Modelling the initial stage of grain subdivision with the help of a coupled substructure and texture evolution algorithm |

- |  |      |  |
|--|------|--|
| S. P. Baker, A. Kretschmann<br>and E. Arzt   | 2145 | Thermomechanical behavior of different texture<br>components in Cu thin films  |
| S. Onaka, A. Madgwick and<br>T. Mori   | 2161 | Kinetics of diffusional creep discussed by energy<br>dissipation and effect of grain-size distribution on the rate<br>equations                                    |
| M. Svetina, L. Colombi<br>Ciacchi, O. Sbaizero,<br>S. Meriani and A. De Vita   | 2169 | Deposition of calcium ions on rutile (110):<br>a first-principles investigation  |
| S. Carlsson and P.-L. Larsson  | 2179 | On the determination of residual stress and strain fields by<br>sharp indentation testing. Part I: theoretical and numerical<br>analysis                           |
| S. Carlsson and P.-L. Larsson  | 2193 | On the determination of residual stress and strain fields by<br>sharp indentation testing. Part II: experimental investigation                                     |
| A. M. Mullis and<br>R. F. Cochrane   | 2205 | A phase field model for spontaneous grain refinement in<br>deeply undercooled metallic melts   |
| L. Pang and K. S. Kumar  | 2215 | Complex faults in a B2 iron aluminide alloy  |
| S. M. Schlögl, J. Svoboda and<br>E. Van der Giessen  | 2227 | Evolution of the methane pressure in a standard<br>2.25Cr-1Mo steel during hydrogen attack   |
| I. Charit and A. H. Chokshi  | 2239 | Experimental evidence for diffusion creep in the<br>superplastic 3 mol.% yttria-stabilized tetragonal zirconia   |
| N. P. Padture,<br>K. W. Schlichting,<br>T. Bhatia, A. Ozturk,<br>B. Cetegen, E. H. Jordan,<br>M. Gell, S. Jiang,<br>T. D. Xiao, P. R. Strutt,<br>E. García, P. Miranzo and<br>M. I. Osendi | 2251 | Towards durable thermal barrier coatings with novel<br>microstructures deposited by solution-precursor plasma<br>spray   |
| M. T. Pérez-Prado,<br>G. González-Doncel,<br>O. A. Ruano and<br>T. R. McNelley   | 2259 | Texture analysis of the transition from slip to grain<br>boundary sliding in a discontinuously recrystallized<br>superplastic aluminum alloy                       |
| H. Iwasaki, M. Mabuchi and<br>K. Higashi   | 2269 | Plastic cavity growth during superplastic flow in AA 7475<br>Al alloy containing a small amount of liquid  |
| J. M. Albuquerque,<br>M. P. Harmer and<br>Y. T. Chou   | 2277 | Tensile superplastic deformation of $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$<br>high- $T_c$ superconductors   |
| A. W. Zhu and E. A. Starke Jr.   | 2285 | Stress aging of Al-xCu alloys: experiments   |
| S. Ram   | 2297 | Self-confined dimension of thermodynamic stability in<br>Co-nanoparticles in fcc and bcc allotropes with a thin<br>amorphous $\text{Al}_2\text{O}_3$ surface layer |

- Y. M. Jin, A. Artemev and  
A. G. Khachaturyan 2309 Three-dimensional phase field model of low-symmetry martensitic transformation in polycrystal: simulation of  $\zeta'_2$  martensite in AuCd alloys
- T. Mizoguchi, I. Tanaka,  
M. Mizuno, H. Adachi,  
T. Hashimoto, H. Inui and  
M. Yamaguchi 2321 Defect and electronic structure of  $\text{TiSi}_2$  thin films produced by co-sputterings. Part II: chemical bonding and electron energy-loss near-edge structures
- D. R. Mumm, A. G. Evans  
and I. T. Spitsberg 2329 Characterization of a cyclic displacement instability for a thermally grown oxide in a thermal barrier system
- Y. H. Wen, L. Q. Chen,  
P. M. Hazzledine and  
Y. Wang 2341 A three-dimensional phase-field model for computer simulation of lamellar structure formation in  $\gamma\text{TiAl}$  intermetallic alloys

2355 Erratum

#### NUMBER 13

- M. I. Baskes and  
R. G. Hoagland 2357 Dislocation core structures and mobilities in  $\text{MoSi}_2$
- V. Wehlnacht and  
W. Brückner 2365 Dislocation accumulation and strengthening in Cu thin films
- B. Srinivasa Rao and  
V. Jayaram 2373 Pressureless infiltration of Al-Mg based alloys into  $\text{Al}_2\text{O}_3$  preforms: mechanisms and phenomenology
- D. H. Shin, Y.-S. Kim and  
E. J. Lavernia 2387 Formation of fine cementite precipitates by static annealing of equal-channel angular pressed low-carbon steels
- D. Weiss, H. Gao and E. Arzt 2395 Constrained diffusional creep in UHV-produced copper thin films
- V. Mohles and E. Nembach 2405 The peak- and overaged states of particle strengthened materials: computer simulations
- I. Lucks, P. Lamparter and  
E. J. Mittemeijer 2419 Uptake of iron, oxygen and nitrogen in molybdenum during ball milling
- A. Godfrey, D. Juul Jensen  
and N. Hansen 2429 Recrystallisation of channel die deformed single crystals of typical rolling orientations
- L. Delannay, O. V. Mishin,  
D. Juul Jensen and  
P. van Houtte 2441 Quantitative analysis of grain subdivision in cold rolled aluminium
- H.-C. Ha, H. M. Chan and  
H. F. Nied 2453 Hertzian contact behavior of alumina-based trilayer composites: experimental observation and FEM analysis
- C. Motz and R. Pippan 2463 Deformation behaviour of closed-cell aluminium foams in tension

- |  |      |  |
|--|------|--|
| S. Harjo, Y. Tomota,<br>P. Lukáš, D. Neov,<br>M. Vrána, P. Mikula and<br>M. Ono                      | 2471 | In situ neutron diffraction study of $\alpha$ - $\gamma$ Fe-Cr-Ni alloys under tensile deformation   |
| K. H. Prakash and<br>T. Sritharan  | 2481 | Interface reaction between copper and molten tin-lead solders  |
| M. Hillert   | 2491 | A model-based continuum treatment of ordering and spinodal decomposition   |
| M. Rettenmayr,<br>O. Warkentin, M. Rappaz<br>and H. E. Exner   | 2499 | Simulation of solutal remelting  |
| P. R. Rios and G. Gottstein  | 2511 | Texture evolution during normal and abnormal grain growth in an Al-1 wt% Mn alloy  |
| S. G. Protasova, G. Gottstein,<br>D. A. Molodov,<br>V. G. Sursaeva and<br>L. S. Shvindlerman         | 2519 | Triple junction motion in aluminum tricrystals   |
| K. M. Flores and<br>R. H. Dauskardt  | 2527 | Mean stress effects on flow localization and failure in a bulk metallic glass  |
| S. Gu, T. J. Lu, D. D. Hass<br>and H. N. G. Wadley   | 2539 | Thermal conductivity of zirconia coatings with zig-zag pore microstructures  |
| F. Pettinari, M. Prem,<br>G. Krexner, P. Caron,<br>A. Coujou,<br>H. O. K. Kirchner and<br>N. Clément | 2549 | Local order in industrial and model $\gamma$ phases of superalloys   |
| K. Nagashio, K. Kuribayashi<br>and Y. Shiohara   | 2557 | Direct growth of $\text{REBa}_2\text{Cu}_3\text{O}_{7-\delta}$ (RE=Yb, Er, Y, Dy, Eu, Sm, Nd and Pr) from undercooled melt using aero-acoustic levitator |
| H.-H. Fu, D. J. Benson and<br>M. A. Meyers   | 2567 | Analytical and computational description of effect of grain size on yield stress of metals   |
| K.-H. Kim and D. N. Lee  | 2583 | Analysis of deformation textures of asymmetrically rolled aluminum sheets  |
| R.-Y. Yang, M.-H. Lin and<br>H.-Y. Lu  | 2597 | Core-shell structures in pressureless-sintered undoped $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$ ceramics                                     |

#### NUMBER 14

- |          |      |   |
|----------|------|---|
| G. Ghosh | 2609 | Dissolution and interfacial reactions of thin-film Ti/Ni/Ag metallizations in solder joints |
|----------|------|---|

- |   |      |   |
|---|------|---|
| M. Maxelon, A. Pundt,<br>W. Pyckhout-Hintzen,<br>J. Barker and R. Kirchheim         | 2625 | Interaction of hydrogen and deuterium with dislocations in palladium as observed by small angle neutron scattering                            |
| H. Y. Kim and K. Maruyama   | 2635 | Parallel twinning during creep deformation in soft orientation PST crystal of TiAl alloy  |
| A. Inoue, W. Zhang,<br>T. Zhang and K. Kurosaka                                     | 2645 | High-strength Cu-based bulk glassy alloys in Cu-Zr-Ti and Cu-Hf-Ti ternary systems  |
| A. W. Wilson and<br>J. M. Howe  | 2653 | Effect of alloying additions on $\beta'$ precipitation in NiAl-Ti base alloys   |
| Y. Le Bouar   | 2661 | Atomistic study of the coherency loss during the b.c.c.-9R transformation of small copper precipitates in ferritic steels                     |
| G. B. Schaffer, S. H. Huo,<br>J. Drennan and<br>G. J. Auchterlonie                  | 2671 | The effect of trace elements on the sintering of an Al-Zn-Mg-Cu alloy   |
| Y. Le Bouar and A. Loiseau  | 2679 | Strain-induced microstructure development due to a wetting phenomenon in the Co-Pt system   |
| C. K. Ullal,<br>K. R. Balasubramaniam,<br>A. S. Gandhi and<br>V. Jayaram            | 2691 | Non-equilibrium phase synthesis in $\text{Al}_2\text{O}_3$ - $\text{Y}_2\text{O}_3$ by spray pyrolysis of nitrate precursors                  |
| L. Bourgeois, B. C. Muddle<br>and J. F. Nie   | 2701 | The crystal structure of the equilibrium $\Phi$ phase in Mg-Zn-Al casting alloys  |
| V. Yamakov, D. Wolf,<br>M. Salazar, S. R. Phillpot<br>and H. Gleiter                | 2713 | Length-scale effects in the nucleation of extended dislocations in nanocrystalline Al by molecular-dynamics simulation                        |
| R. A. Lebensohn   | 2723 | N-site modeling of a 3D viscoplastic polycrystal using Fast Fourier Transform   |
| A. Duckham, R. D. Knutsen<br>and O. Engler  | 2739 | Influence of deformation variables on the formation of copper-type shear bands in Al-1Mg  |
| S. L. dos Santos e Lucato,<br>D. C. Lupascu, M. Kamlah,<br>J. Rödel and C. S. Lynch | 2751 | Constraint-induced crack initiation at electrode edges in piezoelectric ceramics  |
| P. H. Leo, J. S. Lowengrub<br>and Q. Nie  | 2761 | On an elastically induced splitting instability   |
| J. Schroers, Y. Wu, R. Busch<br>and W. L. Johnson                                   | 2773 | Transition from nucleation controlled to growth controlled crystallization in $\text{Pd}_{43}\text{Ni}_{10}\text{Cu}_{27}\text{P}_{20}$ melts |

- |   |      |   |
|---|------|---|
| C. L. Jia, M. Siegert and<br>K. Urban   | 2783 | The structure of the interface between BaTiO <sub>3</sub> thin films and MgO substrates                                   |
| M. J. Worswick, Z. T. Chen,<br>A. K. Pilkey, D. Lloyd and<br>S. Court               | 2791 | Damage characterization and damage percolation modelling in aluminum alloy sheet  |
| S. Solinas, G. Piccaluga,<br>M. P. Morales and<br>C. J. Serna                       | 2805 | Sol-gel formation of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /SiO <sub>2</sub> nanocomposites                            |
| G. Lucadamo, K. Barmak,<br>D. T. Carpenter and<br>J. M. Rickman                     | 2813 | Microstructure evolution during solid state reactions of Nb/Al multilayers  |
| C. R. Hutchinson, X. Fan,<br>S. J. Pennycook and<br>G. J. Shiflet                   | 2827 | On the origin of the high coarsening resistance of $\Omega$ plates in Al-Cu-Mg-Ag Alloys                                  |
| M. I. Mendeleev and<br>D. J. Srolovitz  | 2843 | Kink model for extended defect migration in the presence of diffusing impurities: theory and simulation                   |
| Y. Huang, M. J. Aziz,<br>J. W. Hutchinson,<br>A. G. Evans, R. Saha and<br>W. D. Nix | 2853 | Comparison of mechanical properties of Ni <sub>3</sub> Al thin films in disordered FCC and ordered L1 <sub>2</sub> phases |

#### NUMBER 15

- |   |      |  |
|---|------|--|
| S. P. Lynch, B. C. Muddle<br>and T. Pasang                          | 2863 | Ductile-to-brittle fracture transitions in 8090 Al-Li alloys   |
| Z. F. Zhang, Z. G. Wang and<br>Z. M. Sun                            | 2875 | Evolution and microstructural characteristics of deformation bands in fatigued copper single crystals  |
| T. G. Nieh, J. Wadsworth,<br>C. T. Liu, T. Ohkubo and<br>Y. Hirotsu | 2887 | Plasticity and structural instability in a bulk metallic glass deformed in the supercooled liquid region                                       |
| J. Zhong, L. H. Zhang,<br>Z. H. Jin, M. L. Sui and<br>K. Lu         | 2897 | Superheating of Ag nanoparticles embedded in Ni matrix   |
| M. T. Pérez-Prado,<br>J. A. Hines and<br>K. S. Vecchio              | 2905 | Microstructural evolution in adiabatic shear bands in Ta and Ta-W alloys   |
| F. Stein, L. C. Zhang,<br>G. Sauthoff and M. Palm                   | 2919 | TEM and DTA study on the stability of Al <sub>5</sub> Ti <sub>3</sub> - and h-Al <sub>2</sub> Ti-superstructures in aluminium-rich TiAl alloys |
| Z. G. Ban and L. L. Shaw  | 2933 | On the reaction sequence of WC-Co formation using an integrated mechanical and thermal activation process                                      |

- P. Klugkist, A. N. Aleshin, W. Lojkowski, L. S. Shvindlerman, W. Gust and E. J. Mittemeijer 2941 Diffusion of Zn along tilt grain boundaries in Al: pressure and orientation dependence
- C. Elsässer and A. G. Marinopoulos 2951 Substitutional cation impurities in  $\alpha$ -Al<sub>2</sub>O<sub>3</sub>: ab-initio case study of segregation to the rhombohedral twin boundary
- W. Zhang and G. Subhash 2961 Finite element analysis of interacting Vickers indentations on brittle materials
- E. W. Andrews and L. J. Gibson 2975 The influence of cracks, notches and holes on the tensile strength of cellular solids
- E. A. Holm, G. N. Hassold and M. A. Miodownik 2981 On misorientation distribution evolution during anisotropic grain growth
- J. K. Shang and X. Tan 2993 Indentation-induced domain switching in Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>-PbTiO<sub>3</sub> crystal
- J. X. Zhang, M. Sato and A. Ishida 3001 Structure of martensite in sputter-deposited Ti-Ni thin films containing Guinier-Preston zones
- Y. G. Li, M. H. Loretto, D. Rugg and W. Voice 3011 Effect of heat treatment and exposure on microstructure and mechanical properties of Ti-25V-15Cr-2Al-0.2C (wt%)
- S. Yamaura, Y. Furuya and T. Watanabe 3019 The effect of grain boundary microstructure on Barkhausen noise in ferromagnetic materials
- N. Tsuchida, Y. Tomota, H. Moriya, O. Umezawa and K. Nagai 3029 Application of the Kocks-Mecking model to tensile deformation of an austenitic 25Cr-19Ni steel
- M. Huang, Z. Suo and Q. Ma 3039 Metal film crawling in interconnect structures caused by cyclic temperatures
- K. Kashiwara and F. Inoko 3051 Effect of piled-up dislocations on strain induced boundary migration (SIBM) in deformed aluminum bicrystals with originally  $\Sigma 3$  twin boundary
- A. W. Zhu and E. A. Starke, Jr 3063 Stress aging of Al-Cu alloys: computer modeling
- A. A. Benzerga, S. S. Hong, K. S. Kim, A. Needleman and E. Van der Giessen 3071 Smaller is softer: an inverse size effect in a cast aluminum alloy
- C. N. Tomé, P. J. Maudlin, R. A. Lebensohn and G. C. Kaschner 3085 Mechanical response of zirconium—I. Derivation of a polycrystal constitutive law and finite element analysis
- G. C. Kaschner, J. F. Bingert, C. Liu, M. L. Lovato, P. J. Maudlin, M. G. Stout and C. N. Tomé 3097 Mechanical response of zirconium—II. Experimental and finite element analysis of bent beams

- A. R. de Arellano-López, 3109 High-temperature deformation of  $\text{Sr}(\text{FeCo})_{1.5}\text{O}_x$  ceramics  
 U. Balachandran,  
 K. C. Goretta, B. Ma and  
 J. L. Routbort

# NUMBER 16

- F. Boey, L. Cao, K. A. Khor 3117 Phase reaction and sintering behavior of a  
 and A. Tok  $\text{Al}_2\text{O}_3$ -20wt%AlN-5wt% $\text{Y}_2\text{O}_3$  system
- C. Wolverton 3129 Crystal structure and stability of complex precipitate  
 phases in Al-Cu-Mg-(Si) and Al-Zn-Mg alloys
- Q. Jiang, D. S. Zhao and 3143 Size-dependent interface energy and related interface stress  
 M. Zhao
- Y. Ohmori, Y.-C. Jung, 3149 Bainite transformation and the diffusional migration of  
 K. Nakai and H. Shioiri bainite/austenite broad interfaces in Fe-9%Ni-C alloys
- R. Ding and Z. X. Guo 3163 Coupled quantitative simulation of microstructural  
 evolution and plastic flow during dynamic recrystallization
- A. Zimmermann, 3177 Failure of metal-ceramic composites with spherical  
 M. Hoffman, T. Emmel, inclusions  
 D. Gross and J. Rödel
- V. S. Deshpande, 3189 A discrete dislocation analysis of near-threshold fatigue  
 A. Needleman and crack growth  
 E. Van der Giessen
- K. Gall, K. Juntunen, 3205 Instrumented micro-indentation of NiTi shape-memory  
 H. J. Maier, H. Sehitoglu alloys  
 and Y. I. Chumlyakov
- Y.-L. Shen, J. J. Williams, 3219 Correlation between tensile and indentation behavior of  
 G. Piotrowski, N. Chawla particle-reinforced metal matrix composites: an  
 and Y. L. Guo experimental and numerical study
- M. H. Zimmerman, 3231 Fracture of a textured anisotropic ceramic  
 D. M. Baskin, K. T. Faber,  
 E. R. Fuller Jr., A. J. Allen  
 and D. T. Keane
- L. M. Tham, M. Gupta and 3243 Effect of limited matrix-reinforcement interfacial reaction  
 L. Cheng on enhancing the mechanical properties of aluminium-  
 silicon carbide composites
- D. C. Pender, N. P. Padture, 3255 Gradients in elastic modulus for improved contact-damage  
 A. E. Giannakopoulos and resistance. Part I: The silicon nitride-oxynitride glass  
 S. Suresh system
- D. C. Pender, 3263 Gradients in elastic modulus for improved contact-damage  
 S. C. Thompson, resistance. Part II: The silicon nitride-silicon carbide  
 N. P. Padture, system  
 A. E. Giannakopoulos and  
 S. Suresh

- |  |      |   |
|--|------|---|
| E. H. Lee, T. S. Byun,<br>J. D. Hunn, M. H. Yoo,<br>K. Farrell and<br>L. K. Mansur                       | 3269 | On the origin of deformation microstructures in austenitic stainless steel: Part I—Microstructures                                |
| E. H. Lee, M. H. Yoo,<br>T. S. Byun, J. D. Hunn,<br>K. Farrell and<br>L. K. Mansur                       | 3277 | On the origin of deformation microstructures in austenitic stainless steel: Part II—Mechanisms                                    |
| A. Peláiz Barranco,<br>F. Calderón Piñar, O. Pérez<br>Martínez, E. Torres García<br>and A. Huanosta-Tera | 3289 | A.C. conductivity behavior of a hot pressed [PbTiO <sub>3</sub> –PbZrO <sub>3</sub> –PbCuNbO <sub>3</sub> ] ferroelectric ceramic |
| P.-R. Cha, D.-H. Yeon and<br>J.-K. Yoon  | 3295 | A phase field model for isothermal solidification of multicomponent alloys  |
| C. Kumara Gurumurthy,<br>E. J. Kramer and C.-Y. Hui  | 3309 | Hydro-thermal fatigue of polymer interfaces   |
| Y. G. Yang, X. W. Zhou,<br>R. A. Johnson and<br>H. N. G. Wadley  | 3321 | Monte Carlo simulation of hyperthermal physical vapor deposition  |
| D. C. Pham   | 3333 | Effective medium models for conductivity of randomly cracked locally non-homogeneous materials                                    |
| W.-J. Kim, S. W. Chung,<br>C. S. Chung and D. Kum  | 3337 | Superplasticity in thin magnesium alloy sheets and deformation mechanism maps for magnesium alloys at elevated temperatures       |
| W. C. Liu, D. Juul Jensen and<br>J. G. Morris  | 3347 | Effect of grain orientation on microstructures during hot deformation of AA 3104 aluminium alloy by plane strain compression      |
| J. A. Pfaendtner and<br>C. J. McMahon Jr.  | 3369 | Oxygen-induced intergranular cracking of a Ni-base alloy at elevated temperatures—an example of dynamic embrittlement             |
| H. Miura, K. Kotani and<br>T. Sakai  | 3379 | Temperature dependency of cyclic deformation behavior of Cu-SiO <sub>2</sub> single crystal                                       |

#### NUMBER 17

- |   |      |  |
|---|------|--|
| C. Schuh and D. C. Dunand                 | 3387 | Internal stress plasticity due to chemical stresses  |
| K. Wu, J. E. Morral and<br>Y. Wang        | 3401 | A phase field study of microstructural changes due to the Kirkendall effect in two-phase diffusion couples |
| J. Banhart, D. Bellmann and<br>H. Clemens | 3409 | Investigation of metal foam formation by microscopy and ultra small-angle neutron scattering               |

- |  |      |  |
|--|------|--|
| M. Ueda, H. Y. Yasuda and<br>Y. Umakoshi   | 3421 | Effect of grain boundary character on the martensitic transformation in Fe-32at.%Ni bicrystals                           |
| D. Raabe, M. Sachtleber,<br>Z. Zhao, F. Roters and<br>S. Zaefferer   | 3433 | Micromechanical and macromechanical effects in grain scale polycrystal plasticity experimentation and simulation         |
| L. K. Berg, J. Gjønnnes,<br>V. Hansen, X. Z. Li,<br>M. Knutson-Wedel,<br>G. Waterloo, D. Schryvers<br>and L. R. Wallenberg | 3443 | GP-zones in Al-Zn-Mg alloys and their role in artificial aging   |
| B. S. Murty, D. H. Ping,<br>M. Ohnuma and K. Hono  | 3453 | Nanoquasicrystalline phase formation in binary Zr-Pd and Zr-Pt alloys  |
| W. C. Johnson  | 3463 | Spinodal decomposition in a small radially stressed sphere   |
| T. Ikeda, H. Kadowaki and<br>H. Nakajima   | 3475 | Diffusion of $^{44}\text{Ti}$ and $^{63}\text{Ni}$ in TiAl single crystal  |
| M. G. Hall, T. Furuhashi,<br>H. I. Aaronson and<br>J. P. Hirth   | 3487 | On misfit-compensating ledges/disconnections   |
| M. J. Murtagh, J. Hulvat,<br>R. Dieckmann and<br>S. L. Sass  | 3493 | Impurity controlled phase formation at platinum-sapphire interfaces  |
| C. González and J. Llorca  | 3505 | Micromechanical modelling of deformation and failure in Ti-6Al-4V/SiC composites   |
| D. Moldovan, D. Wolf and<br>S. R. Phillpot   | 3521 | Theory of diffusion-accommodated grain rotation in columnar polycrystalline microstructures                              |
| G. Palasantzas and<br>J. Th. M. de Hosson  | 3533 | Wetting on rough surfaces  |
| K. Zeng and C.-h. Chiu   | 3539 | An analysis of load-penetration curves from instrumented indentation   |
| G. R. Sarrafi-Nour and<br>T. W. Coyle  | 3553 | Temperature dependence of crack wake bridging stresses in a SiC-whisker-reinforced alumina                               |
| S. L. Semiatin and<br>T. R. Bieler   | 3565 | The effect of alpha platelet thickness on plastic flow during hot working of Ti-6Al-4V with a transformed microstructure |
| A. Arya, S. Banerjee,<br>G. P. Das, I. Dasgupta,<br>T. Saha-Dasgupta and<br>A. Mookerjee                                   | 3575 | A first-principles thermodynamic approach to ordering in Ni-Mo alloys  |

- |  |      |  |
|--|------|--|
| S. Testu, T. Rouxel and J.-L. Besson   | 3589 | Tensile behaviour of gas pressure sintered silicon nitride in the 1600–1700°C temperature range          |
| M. J. Koblinsky, G. Dehm, C. V. Thompson and E. Arzt                               | 3597 | Effects of thickness on the characteristic length scale of dislocation plasticity in Ag thin films       |
| H. Sehitoglu, J. Jun, X. Zhang, I. Karaman, Y. Chumlyakov, H. J. Maier and K. Gall | 3609 | Shape memory and pseudoelastic behavior of 51.5%Ni–Ti single crystals in solutionized and overaged state |
| H. Sehitoglu, I. Karaman, X. Zhang, A. Viswanath, Y. Chumlyakov and H. J. Maier    | 3621 | Strain–temperature behavior of NiTiCu shape memory single crystals                                       |
| P. E. Di Nunzio  | 3635 | A discrete approach to grain growth based on pair interactions   |
|  | 3645 | Erratum  |

#### NUMBER 18

- |  |      |  |
|--|------|--|
| D. Häussler, M. Bartsch, U. Messerschmidt and B. Reppich             | 3647 | HVTEM <i>in situ</i> observations of dislocation motion in the oxide dispersion strengthened superalloy MA 754                   |
| J. Rösler, M. Bäker and M. Volgmann                                  | 3659 | Stress state and failure mechanisms of thermal barrier coatings: role of creep in thermally grown oxide                          |
| A. E. Giannakopoulos, I. A. Blech and S. Suresh                      | 3671 | Large deformation of thin films and layered flat panels: effects of gravity  |
| D. L. Medlin, S. M. Foiles and D. Cohen                              | 3689 | A dislocation-based description of grain boundary dissociation: application to a 90° $\langle 110 \rangle$ tilt boundary in gold |
| M. Kouzeli, L. Weber, C. San Marchi and A. Mortensen                 | 3699 | Influence of damage on the tensile behaviour of pure aluminium reinforced with $\geq 40$ vol. pct alumina particles              |
| J. Colin, M. Grinfeld and J. Grilhé                                  | 3711 | Thermodynamic approach of surface instability under irradiation  |
| P. Miranda, A. Pajares, F. Guiberteau, F. L. Cumbrera and B. R. Lawn | 3719 | Role of flaw statistics in contact fracture of brittle coatings  |
| C. H. Henager Jr, C. A. Lewinsohn and R. H. Jones                    | 3727 | Subcritical crack growth in CVI SiC <sub>f</sub> /SiC composites at elevated temperatures: effect of fiber creep rate            |

- |  |      |   |
|--|------|---|
| C. H. Henager, Jr and<br>R. G. Hoagland  | 3739 | Subcritical crack growth in CVI SiC <sub>f</sub> /SiC composites at elevated temperatures: dynamic crack growth model                                   |
| L. Cretegny and A. Saxena  | 3755 | AFM characterization of the evolution of surface deformation during fatigue in polycrystalline copper   |
| C. S. Lee, L. C. De Jonghe<br>and G. Thomas                                    | 3767 | Mechanical properties of polytypoidally joined Si <sub>3</sub> N <sub>4</sub> -Al <sub>2</sub> O <sub>3</sub>   |
| C. S. Lee, X. F. Zhang and<br>G. Thomas  | 3775 | Novel joining of dissimilar ceramics in the Si <sub>3</sub> N <sub>4</sub> -Al <sub>2</sub> O <sub>3</sub> system using polytypoid functional gradients |
| R. Vaidyanathan, M. Dao,<br>G. Ravichandran and<br>S. Suresh                   | 3781 | Study of mechanical deformation in bulk metallic glass through instrumented indentation   |
| D. E. Solas, C. N. Tomé,<br>O. Engler and H. R. Wenk                           | 3791 | Deformation and recrystallization of hexagonal metals: modeling and experimental results for zinc   |
| E. Cerreta and S. Mahajan  | 3803 | Formation of deformation twins in TiAl  |
| M. Yu. Gutkin,<br>K. N. Mikaelyan and<br>V. E. Verijenko                       | 3811 | Heterogeneous nucleation of martensite near free surface  |
| M. Schwind and J. Ågren  | 3821 | A random walk approach to Ostwald ripening  |
| M. Furukawa,<br>A. Utsunomiya,<br>K. Matsubara, Z. Horita and<br>T. G. Langdon | 3829 | Influence of magnesium on grain refinement and ductility in a dilute Al-Sc alloy  |
| E. R. de Freitas and<br>M. Ferrante  | 3839 | Rheological behaviour and deformation characteristics of a commercial and a laboratory-cast Al-4%Cu alloy in the semi-solid state                       |
| Q. Xu and E. J. Lavernia   | 3849 | Influence of nucleation and growth phenomena on microstructural evolution during droplet-based deposition   |
| B. N. Cox, N. Sridhar<br>and I. J. Beyerlein                                   | 3863 | Inertial effects in the pullout mechanism during dynamic loading of a bridged crack   |
| L. M'Cirdi, J. L. Lebrun,<br>K. Inal and G. Barbier                            | 3879 | Experimental approach of a crystallographic cleavage criterion in a cast aged duplex stainless steel  |

#### NUMBER 19

- |  |      |  |
|--|------|--|
| X. Y. Zhang, J. W. Zhang and<br>W. K. Wang                                     | 3889 | Crystallization kinetics and phase transition under high-pressure of amorphous Sm <sub>8</sub> Fe <sub>85</sub> Si <sub>2</sub> C <sub>5</sub> alloy |
| M. Dao, N. Chollacoop,<br>K. J. Van Vliet,<br>T. A. Venkatesh and<br>S. Suresh | 3899 | Computational modeling of the forward and reverse problems in instrumented sharp indentation   |
| I. Karaman, H. Sehitoglu,<br>H. J. Maier and<br>Y. I. Chumlyakov               | 3919 | Competing mechanisms and modeling of deformation in austenitic stainless steel single crystals with and without nitrogen                             |

M. Hommel and O. Kraft	3935	Deformation behavior of thin copper films on deformable substrates
X. Qiu, Y. Huang, W. D. Nix, K. C. Hwang and H. Gao	3949	Effect of intrinsic lattice resistance in strain gradient plasticity
C. San Marchi and A. Mortensen	3959	Deformation of open-cell aluminum foam
X. Ren and M. Hagiwara	3971	Displacive precursor phenomena in Ti-22Al-27Nb intermetallic compound prior to diffusional transformation
K. Horikawa, S. Kuramoto and M. Kanno	3981	Intergranular fracture caused by trace impurities in an Al-5.5 mol% Mg alloy
J. R. Harris, J. A. D. Wattis and J. V. Wood	3991	A comparison of different models for mechanical alloying
X. W. Zhou, H. N. G. Wadley, R. A. Johnson, D. J. Larson, N. Tabat, A. Cerezo, A. K. Petford- Long, G. D. W. Smith, P. H. Clifton, R. L. Martens and T. F. Kelly	4005	Atomic scale structure of sputtered metal multilayers
A. Epishin, T. Link, U. Brückner and P. D. Portella	4017	Kinetics of the topological inversion of the $\gamma/\gamma'$ -microstructure during creep of a nickel-based superalloy
M. A. Meyers, O. Vöhringer and V. A. Lubarda	4025	The onset of twinning in metals: a constitutive description
L. Ratke and C. Beckermann	4041	Concurrent growth and coarsening of spheres
R. W. Hayes, R. Rodriguez and E. J. Lavernia	4055	The mechanical behavior of a cryomilled Al-10Ti-2Cu alloy
Y. Q. Wu, T. Bitoh, K. Hono, A. Makino and A. Inoue	4069	Microstructure and properties of nanocrystalline Fe-Zr-Nb-B soft magnetic alloys with low magnetostriction
S. Diligent, E. Gautier, X. Lemoine and M. Berveiller	4079	Lattice orientation dependence of the stored energy during cold-rolling of polycrystalline steels
G. S. Smith, E. B. Tadmor, N. Bernstein and E. Kaxiras	4089	Multiscale simulations of silicon nanoindentation

- |  |      |  |
|--|------|--|
| M. Radovic, M. W. Barsoum,<br>T. El-Raghy and<br>S. Wiederhorn | 4103 | Tensile creep of fine grained (3–5 $\mu\text{m}$ ) $\text{Ti}_3\text{SiC}_2$ in the<br>1000–1200°C temperature range |
| C. M. F. Rae and R. C. Reed                                    | 4113 | The precipitation of topologically close-packed phases in<br>rhenium-containing superalloys                          |
| L. Lu, M. L. Sui and K. Lu                                     | 4127 | Cold rolling of bulk nanocrystalline copper  |
| H. D. Espinosa and<br>B. A. Gailly                             | 4135 | Modeling of shear instabilities observed in cylinder<br>collapse experiments performed on ceramic powders            |

#### NUMBER 20

- |   |      |   |
|---|------|---|
| S. S. Babu, M. K. Miller,<br>J. M. Vitek and<br>S. A. David           | 4149 | Characterization of the microstructure evolution in a nickel<br>base superalloy during continuous cooling conditions                            |
| D. Quidort and<br>Y. J. M. Brechet                                    | 4161 | Isothermal growth kinetics of bainite in 0.5% C steels  |
| K. Dai and L. Shaw  | 4171 | Thermal and stress modeling of multi-material laser<br>processing   |
| H. S. Zurob, Y. Brechet and<br>G. Purdy                               | 4183 | A model for the competition of precipitation and<br>recrystallization in deformed austenite   |
| O. Hunziker   | 4191 | Theory of plane front and dendritic growth in<br>multicomponent alloys  |
| M. A. Bab, L. Mendoza-Zélis<br>and L. C. Damonte                      | 4205 | Nanocrystalline HfN produced by mechanical milling:<br>kinetic aspects  |
| A. C. Dodd and<br>P. G. McCormick                                     | 4215 | Solid-state chemical synthesis of nanoparticulate zirconia  |
| C. Picornell, J. Pons and<br>E. Cesari                                | 4221 | Stabilisation of martensite by applying compressive stress<br>in Cu-Al-Ni single crystals   |
| T. Sakata, H. Y. Yasuda and<br>Y. Umakoshi                            | 4231 | Control of microstructure and orientation distribution in<br>Ni–Al-based ( $\beta/\gamma'$ ) two phase alloys by thermomechanical<br>processing |
| R. C. Pullar, M. H. Stacey,<br>M. D. Taylor and<br>A. K. Bhattacharya | 4241 | Decomposition, shrinkage and evolution with temperature<br>of aligned hexagonal ferrite fibres  |
| M. Ueda, H. Y. Yasuda and<br>Y. Umakoshi                              | 4251 | Stress-induced martensitic transformation in Fe–Ni<br>bicrystals  |

- |  |      |   |
|--|------|---|
| H. Gabrisch, L. Kjeldgaard,<br>E. Johnson and U. Dahmen                | 4259 | Equilibrium shape and interface roughening of small liquid Pb inclusions in solid Al                                      |
| S. Liu, R. E. Napolitano and<br>R. Trivedi                             | 4271 | Measurement of anisotropy of crystal-melt interfacial energy for a binary Al-Cu alloy                                     |
| S. R. Agnew, M. H. Yoo and<br>C. N. Tomé                               | 4277 | Application of texture simulation to understanding mechanical behavior of Mg and solid solution alloys containing Li or Y |
| P. D. Zavattieri and<br>H. D. Espinosa                                 | 4291 | Grain level analysis of crack initiation and propagation in brittle materials   |
| D. F. Teter, I. M. Robertson<br>and H. K. Birnbaum                     | 4313 | The effects of hydrogen on the deformation and fracture of $\beta$ -titanium  |
| P. Redanz and N. A. Fleck  | 4325 | The compaction of a random distribution of metal cylinders by the discrete element method                                 |
| M. Hiratani and<br>E. M. Nadgorny                                      | 4337 | Combined model of dislocation motion with thermally activated and drag-dependent stages                                   |
| Z. Sun, Y. Zhou and M. Li  | 4347 | High temperature oxidation behavior of $\text{Ti}_3\text{SiC}_2$ -based material in air                                   |
| J. P. Monchoux, C. Verdu,<br>G. Thollet, R. Fougères and<br>A. Reynaud | 4355 | Morphological changes of graphite spheroids during heat treatment of ductile cast irons                                   |
| M. F. Horstemeyer,<br>M. I. Baskes and<br>S. J. Plimpton               | 4363 | Length scale and time scale effects on the plastic flow of fcc metals   |

I List of Contents, Author Index and Keyword Index,  
Volume 49

